

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6050124	shaft or tube or rod or sleeve or sheath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:41
L2	2447255	tool or tip or effector or jaws	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:41
L3	2075414	handle or actuator or manifold or pistol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:42
L4	463	bendable with motion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:43
L5	6343242	attendant or similar or parallel or corresponding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:44
L6	2763922	bend\$4 or articulat\$4 ort pivot\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:55
L7	6725571	rotat\$4 or roll or turn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:45
L8	435119	1 with 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:46

EAST Search History

L9	439847	1 with 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:45
L10	58	(2 or 3) with 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:45
L11	34576	(2 with 3) same 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:46
L12	437817	3 same 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:48
L13	660916	3 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:46
L14	71689	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:48
L15	21	10 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:49
L16	11981	11 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:49

EAST Search History

L17	361958	(2 or 3) with 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:50
L18	12541	(2 with 3) with 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:51
L19	246817	3 with 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:51
L20	386416	3 with 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:52
L21	526609	19 or 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:53
L22	40116	14 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:54
L23	5780	22 and (stiffness or flexibility)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:55
L24	35	22 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:55

EAST Search History

L25	2702964	bend\$4 or articulat\$4 or pivot\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:56
L26	29295	25 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:56
L27	7984	26 and (25 with (joint or coupling or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:57
L28	1437	22 and (\$mechanical with actuator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:58
L29	480	22 and (torque with (sens\$4 or measure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:58
L30	263	22 and (rolling with motion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 13:59
L31	10963	22 and (capstan or roller or pulley)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:00
L32	6652	31 and (tool or robot instrument)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:01

EAST Search History

L33	5	(shaft or tube or sleeve or rod or trocar) and (tool or tip or jaws or effector) and (handle with control\$4) and ((move or moving or movable) with (handle and tool)) and (bendable with motion).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:03
L34	96	(shaft or tube or sleeve or rod or trocar) and (tool or tip or jaws or effector) and (handle with control\$4) and ((move or moving or movable) with (handle and tool)) and (rotat\$ with (joint or coupling or connection)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:04
L35	2	(shaft or tube or sleeve or rod or trocar) and (tool or tip or jaws or effector) and (handle with control\$4) and ((move or moving or movable) with (handle and tool)) and (electromechanical with actuat\$4) and (torque with (sens\$4 or measur\$4)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:05
L36	0	(shaft or tube or sleeve or rod or trocar) and (tool or tip or jaws or effector) and (handle with control\$4) and ((move or moving or movable) with (handle and tool)) and ((rolling with motion) with (wheel or pulley or capstan)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/28 14:06